

REF.	No.	SPECIES	AUTHOR	GRADE	ØMIN.(mm)	ØMAX.(mm)	PLACE
MICRO	2	<i>Alvania carinata</i>	da Costa, 1778	F+/F++/G	1,5	4,0	LC/M
MICRO	9	<i>Alvania cimex</i>	Linné, 1758	G		4,0	M
MICRO		<i>Alvania scabra</i>	Philippi, 1844	F+/F++	1,0	2,0	M
	G6	<i>Angaria delphinus</i>	Linné, 1758	F/F+	33,0	52,0	F
	G273	<i>Aporrhais pespelecani</i>	Linné, 1758	Beach-F/F+/F++	26,0	40,0	M
	G174	<i>Architectonica perspectiva</i>	Linné, 1758	F++	24,0	33,0	F
	G278	<i>Babylonia spirata</i>	Linné, 1758	F+/F++/G	25,0	37,0	F
MICRO		<i>Barleeia unifasciata</i>	Montagu, 1803	G	1,0	2,0	M
	G25	<i>Batillaria zonalis</i>	Bruguiere, 1792	F++/G	24,0	32,0	JP
	G229	<i>Bittium reticulatum</i>	da Costa, 1774	F+/F++	8,0	12,0	LC
	G62	<i>Buccinanops cochlidium</i>	Dillwyn, 1817	F+		62,0	A
	G66	<i>Buccinanops globulosus</i>	Kinener, 1834	F+		41,0	A
	G213	<i>Buccinum corneum</i>	Linné, 1758	Beach-F	34,0	39,0	MU
	G48	<i>Bufo nana</i>	Linné, 1758	F/F+/F++	40,0	60,0	F
	G183	<i>Calpurnus verrucosus</i>	Linné, 1758	G	26,0	31,0	F
	G68	<i>Cancellaria cancellata</i>	Linné, 1767	Beach-F/F+	19,0	26,0	M
	G69	<i>Cancellaria similis</i>	Sowerby, 1833	F/F+	21,0	24,0	M
	G135	<i>Cantharus erythrostomus</i>	Reeve, 1846	F/F+	19,0	29,0	AU
	G281	<i>Cerithium nodulosum</i>	Bruguiere, 1792	F+		58,0	F
	G233	<i>Cerithium rupestre</i>	Risso, 1826	F+	11,0	14,0	C
	G108	<i>Cerithium vulgatum form 1</i>	Bruguiere, 1792	F++		45,0	MU
	G265	<i>Cerithium vulgatum form 2</i>	Bruguiere, 1792	F+/F++/G	20,0	56,0	MU/C
	G108	<i>Chaetopleura angulata</i>	Spengler, 1797	F++		21,0	PT
	G108	<i>Chaetopleura angulata</i>	Spengler, 1797	F++		39,0	UR
	G63	<i>Chicoreus brevifrons</i>	Lamarck, 1822	F+		55,0	CU
	G222	<i>Chiton olivaceus</i>	Spengler, 1797	F+/F++	8,0	19,0	M/G
	G73	<i>Chlorostoma argyrostomum</i>	Gmelin, 1791	F+	21,0	24,0	TI
MICRO		<i>Cingula cingillus</i>	Montagu, 1803	F++/G	3,0	6,0	LC
	G208	<i>Cirsotrema pumicea</i>	Brocchi, 1814	F+		14,0	M
	G188	<i>Clypeomorus moniliferus</i>	Kiener, 1841	F+/F++	11,0	23,0	F
	G53	<i>Columbella rustica</i>	Linné, 1758	F++/G	15,0	21,0	G / M
	G26	<i>Columbella rustica striata</i>	Duclos, 1840	F++/G	16,0	19,0	C
	G87	<i>Conus arenatus arenatus</i>	Hwass in Bruguiere, 1792	F+/F++/G	28,0	39,0	F
	G279	<i>Conus arenatus bizona</i>	Coomans et. al, 1981	F+	41,0	42,0	F
	G65	<i>Conus capitaneus</i>	Linné, 1758	F/F+	33,0	59,0	F
	G209	<i>Conus comatosa</i>	Pilsbry, 1904	F		42,0	F
	G110	<i>Conus coronatus</i>	Gmelin, 1791	F++/G	23,0	27,0	F
	G162	<i>Conus ebraeus</i>	Linné, 1758	F+		16,0	F
	G167	<i>Conus emaciatus</i>	Reeve, 1849	F+		40,0	F
	G55	<i>Conus figulinus</i>	Linné, 1758	F+	51,0	54,0	F
	G93	<i>Conus flavidus</i>	Lamarck, 1810	F+	30,0	46,0	F
	G63	<i>Conus generalis</i>	Linné, 1767	F++		60,0	F
	G22	<i>Conus leopardus</i>	Holten, 1802	F++		78,0	F
	G282	<i>Conus magus</i>	Linné, 1758	F/F++	40,0	59,0	F
	G27	<i>Conus marmoreus</i>	Linné, 1758	F+		56,0	F
	G283	<i>Conus miles</i>	Linné, 1758	Beach-F	38,0	43,0	F
	G114	<i>Conus moreleti</i>	Linné, 1758	F+		34,0	F
	G15	<i>Conus mustelinus</i>	Hwass in Bruguiere, 1792	F++		70,0	F
	G84	<i>Conus neptunus</i>	Reeve, 1843	F		50,0	F
	G162	<i>Conus ochroleucus</i>	Gmelin, 1791	F		62,0	F
	G88	<i>Conus pulicarius</i>	Hwass in Bruguiere, 1792	F+		31,0	F
	G274	<i>Conus radiatus</i>	Gmelin, 1791	F/F+	61,0	63,0	F
	G77	<i>Conus rattus</i>	Hwass in Bruguiere, 1792	Beach-F	32,0	37,0	F
	G351	<i>Conus striatus</i>	Linné, 1758	F+		83,0	F
	G288	<i>Conus tessulatus</i>	Born, 1780	G	35,0	39,0	F
	G56	<i>Conus textile</i>	Linné, 1758	F+		87,0	F
	G197	<i>Conus ventricosus</i>	Gmelin, 1791	Beach-F/F+	15,0	29,0	MU
	G216	<i>Coralliophila neritoidea</i>	Lamarck, 1816	F/F+/F++	14,0	24,0	F

G94	1	<i>Cronia konkanensis</i>	Melville, 1853	F+		21,0	F
G228		<i>Cyclope pellucida</i>	Risso, 1826	F++/G	5,0	8,0	M/MU
G225	3	<i>Cymatium muricinum</i>	Röding, 1798	F++	33,0	34,0	CU
G61	2	<i>Cymatium pyrum</i>	Lamarck, 1819	F+	65,0	68,0	F
G83	1	<i>Cymatium rubeculum</i>	Linné, 1758	G		41,0	F
G8	9	<i>Cymbiola vesperilio</i>	Linné, 1758	F+	52,0	86,0	F
G280		<i>Cypraea annulus</i>	Linné, 1758	F++/G	9,0	21,0	F
G270	4	<i>Cypraea arabica</i>	Linné, 1758	F++/G	50,0	58,0	F
G215	3	<i>Cypraea asellus</i>	Linné, 1758	F++/G		17,0	F
G177	1	<i>Cypraea bistrinotata</i>	Schilder & Schilder, 1937	G		19,0	F
G52	3	<i>Cypraea boivini</i>	Kiener, 1843	G	22,0	27,0	F
G146	4	<i>Cypraea caputserpentis</i>	Linné, 1758	F++/G	24,0	32,0	F
G150	4	<i>Cypraea carneola</i>	Linné, 1758	F+/F++/G	31,0	43,0	F
G70	5	<i>Cypraea caurica caurica</i>	Linné, 1758	G	45,0	48,0	F
G120	1	<i>Cypraea chinensis chinensis</i>	Gmelin, 1791	G		35,0	F
G49	5	<i>Cypraea eglantina</i>	Duclos, 1833	G	51,0	65,0	F
G127	1	<i>Cypraea isabella</i>	Linné, 1758	G		27,0	F
G200	3	<i>Cypraea labrolineata</i>	Gaskoin, 1848	F++/G	17,0	21,0	F
G25	3	<i>Cypraea lynx</i>	Linné, 1758	G	36,0	42,0	F
G64	2	<i>Cypraea mappa</i>	Linné, 1758	F+/G	57,0	62,0	F
G182	4	<i>Cypraea miliaris</i>	Gmelin, 1791	F++/G	30,0	38,0	F
G155	4	<i>Cypraea moneta</i>	Linné, 1758	F++/G	15,0	29,0	F
G27	1	<i>Cypraea onyx</i>	Linné, 1758	G		42,0	F
G81	1	<i>Cypraea pyriformis</i>	Gray, 1824	G		29,0	F
G206	3	<i>Cypraea staphylaea</i>	Linné, 1758	G	12,0	19,0	F
G72	2	<i>Cypraea talpa</i>	Linné, 1758	G	56,0	61,0	F
G97	1	<i>Cypraea teres teres</i>	Gmelin, 1791	G		24,0	F
G4	5	<i>Cypraea tigris</i>	Linné, 1758	F+/G	65,0	91,0	F
G348	5	<i>Cypraea vitellus</i>	Linné, 1758	F++/G	39,0	56,0	F
G126		<i>Dentalium mutabile inaequicostatum</i>	Dautzenberg, 1891	F+	20,0	37,0	M
G127		<i>Dentalium vulgare</i>	da Costa, 1778	F++/G	18,0	40,0	M
G128	1	<i>Diodora gibberula</i>	Lamarck, 1822	F+		11,0	M
G55	2	<i>Distorsio anus</i>	Linné, 1758	F+	54,0	59,0	E
G130	1	<i>Drupa grossularia</i>	Röding, 1798	F++		23,0	F
G92	8	<i>Euchelus atratus</i>	Gmelin, 1791	F+/F++/G	11,0	18,0	F
G58	9	<i>Euspira catena</i>	da Costa, 1778	F+/F++	22,0	32,0	LC
G131	9	<i>Euspira nitida</i>	Donovan, 1804	F+	4,0	5,0	LC/M
G11	1	<i>Ficus gracilis</i>	Sowerby, 1825	F+		101,0	F
G102	2	<i>Fissurella nubecula</i>	Linné, 1758	F+	16,0	19,0	G
G264	1	<i>Fusinus salisburyi</i>	Fulton, 1930	F++		155,0	F
G32	7	<i>Gazameda leucostoma</i>	Valenciennes, 1832	Beach-F+	31,0	75,0	CR
G189		<i>Gibberula miliaria</i>	Linné, 1758	F++/G	4,0	6,0	M
G109	1	<i>Gibbula divaricata</i>	Linné, 1758	F++		11,0	M
G76		<i>Gibbula magus</i>	Linné, 1758	Beach-F	13,0	25,0	M
G276		<i>Gibbula pennanti W/O</i>	Philippi, 1846	F/F+/F++	9,0	15,0	LC/P
G144	1	<i>Gibbula philberti</i>	Recluz, 1843	F+		10,0	CA
G190		<i>Gibbula rarilineata W/O</i>	Michaud, 1829	F++/G	8,0	15,0	G
G275		<i>Gibbula richardi usual eroded W/O</i>	Payraudeau, 1826	F+/F++/G	5,0	20,0	G
G277		<i>Gibbula spurca</i>	Gould, 1856	F++/G	8,0	14,0	C
G86		<i>Gibbula varia</i>	Linné, 1767	F+/F++	7,0	13,0	G
G18	1	<i>Guildfordia yoka yoka</i>	Jousseaume, 1899	F++		82,0	F
G185	1	<i>Gyrineum gyrinum</i>	Linné, 1758	G		29,0	F
G117	1	<i>Gyrineum perca</i>	Schepman, 1909	F++		36,0	F
MICRO	1	<i>Haminoea hydatis</i>	Linné, 1758	F++		5,0	CA
G2	2	<i>Harpa articularis</i>	Lamarck, 1822	F++/G	88,0	94,0	F
G115	3	<i>Hastula rufopunctata</i>	Smith, 1877	G		19,0	AU
G95	5	<i>Heliacus variegatus</i>	Gmelin, 1791	F++/G	13,0	16,0	F
G347	2	<i>Hemifusus ternatanus</i>	Gmelin, 1791	F+/F++	130,0	171,0	F
G287	2	<i>Hexaplex trunculus</i>	Linné, 1758	F	37,0	69,0	M/MU

G179		<i>Hinia incrassata</i>	Müller, 1776	F++/G	8,0	12,0	M/LC
G89	3	<i>Imbricaria olivaeformis</i>	Swainson, 1821	F++/G	11,0	12,0	F
G219	1	<i>Inquisitor rufovaricosa</i>	Kuroda & Oyama, 1971	F		41,0	F
G193		<i>Jujubinus striatus striatus</i>	Linné, 1767	F++/G	6,0	10,0	M
G263	1	<i>Lambis chiragra chiragra</i>	Linné, 1758	F++		137,0	6
G357	7	<i>Lambis lambis</i>	Linné, 1758	F++	132,0	153,0	F
G261	1	<i>Lambis scorpius scorpius</i>	Linné, 1758	F++		123,0	F
G47	3	<i>Latirus polygonus</i>	Gmelin, 1791	F+/F++	47,0	85,0	F
G100	1	<i>Latirus turritus</i>	Gmelin, 1791	F+		36,0	F
G117	7	<i>Liotina peronii</i>	Kiener, 1839	F++	11,0	13,0	F
G50		<i>Littorina littorea</i> W/O	Linné, 1758	F+/F++/G	21,0	32,0	M/H
G139		<i>Littorina neritoides</i> W/O	Linné, 1758	F++/G	4,0	7,0	M / LC
G192		<i>Littorina obtusata</i>	Linné, 1758	F+/F++/G	9,0	12,0	P
G281	2	<i>Littorina peruviana</i>	Lamarck, 1822	F++	10,0	11,0	PE
G194		<i>Littorina punctata</i> W/O	Gmelin, 1791	F++/G	8,0	9,0	G
G141	8	<i>Littorina saxatilis</i> W/O	Olivi, 1792	F+/F++/G	11,0	14,0	LC
G234		<i>Littorina striata</i> W/O	King & Broderip, 1832	F++/G	9,0	13,0	C
G77	2	<i>Malea pomum</i>	Linné, 1758	Beach-F+	36,0	42,0	F
MICRO	1	<i>Mangelia unifasciata</i>	Deshayes, 1835	F+		6,0	M
MICRO	6	<i>Manzonina crassa</i>	Kanmacher, 1798	G	2,0	2,5	LC
G348	1	<i>Melo broderipi</i>	Griffith & Pidgeon, 1834	F++		145,0	F
G75		<i>Mesalia mesal</i>	Deshayes, 1843	F/F+	18,0	33,0	M
G69	2	<i>Mitra eremitarum</i>	Röding, 1798	F+/F++	43,0	57,0	F
G149	1	<i>Mitra ferruginea</i>	Lamarck, 1811	F+		30,0	F
G225	1	<i>Mitra fraga</i>	Quoy & Gaimard, 1833	F++		18,0	F
G195	1	<i>Mitra mitra</i>	Linné, 1758	F+/F++		80,0	D
G6	1	<i>Mitra papalis</i>	Linné, 1758	F+		107,0	F
G118	1	<i>Mitrella scripta</i>	Linné, 1758	G		15,0	It
G98	1	<i>Modulus modulus</i>	Linné, 1758	F++		10,0	RD
G170	6	<i>Monilea callifera</i>	Lamarck, 1822	F++/G	12,0	17,0	F
G19		<i>Monodonta atrata</i> W/O	Wood, 1828	F++/G	9,0	20,0	C
G21		<i>Monodonta edulis</i> W/O	Lowe, 1842	F++/G	11,0	20,0	C
G80	8	<i>Monodonta labio</i>	Linné, 1758	F++/G	28,0	34,0	F
G23		<i>Monodonta lineata</i>	da Costa, 1778	F+/F++/G	10,0	27,0	P
G183	1	<i>Monodonta punctulata</i>	Lamarck, 1821	F+		18,0	ID
G59		<i>Monodonta turbinata</i> W/O	Born, 1780	F++/G	13,0	24,0	G/GE
G260		<i>Murex brandaris</i> W/O	Linné, 1758	F/F+/F++	47,0	77,0	M/LC
G355	1	<i>Murex haustellum</i>	Linné, 1758	F++		124,0	F
G3	1	<i>Murex nigrispinosus</i>	Reeve, 1845	F++		123,0	F
G1	1	<i>Murex pecten</i>	Linné, 1758	F		129,0	F
G268		<i>Murex trapa</i>	Röding, 1798	F/F+	39,0	76,0	F
G1	1	<i>Murex troscheli</i>	Lischke, 1868	F++		140,0	F
G202	5	<i>Nassarius albescens</i>	Dunker, 1846	F++/G	12,0	15,0	F
G219	1	<i>Nassarius albus</i>	Say, 1826	F+		13,0	U
G138	4	<i>Nassarius capensis</i>	Dunker, 1846	G	9,0	11,0	SU
G169	5	<i>Nassarius coronatus</i>	Bruguiere, 1798	F++/G	18,0	25,0	F
G104		<i>Nassarius costulatum</i>	Payraudeau, 1826	G	9,0	16,0	C
G217	1	<i>Nassarius distortus</i>	Adams, 1852	G		24,0	F
G211		<i>Nassarius dorri</i>	Wattlebed, 1886	F++/G	9,0	13,0	F
G173	1	<i>Nassarius globosus globosus</i>	Quoy & Gaymard, 1833	F++		10,0	F
G160	5	<i>Nassarius gruneri</i>	Dunker, 1846	G	12,0	17,0	F
G151	1	<i>Nassarius multicostatus</i>	Adams, 1852	F+		13,0	PA
G111	3	<i>Nassarius mutabilis</i>	Linné, 1758	F++	14,0	14,0	AL
G145		<i>Nassarius pfeifferi</i>	Philippi, 1844	F+/G	9,0	16,0	P/C
G62	4	<i>Nassarius reticulatus</i>	Linné, 1758	F+/F++	20,0	31,0	M/CN
G201	1	<i>Nassarius semisulcatus</i>	Rousseau, 1854	F++		16,0	F
G221		<i>Nassarius stolatus</i>	Gmelin, 1791	F++/G	13,0	17,0	I
G16		<i>Nassarius variciferus</i>	Adams, 1851	F++/G	17,0	27,0	CH
G180	1	<i>Natica fasciata</i>	Röding, 1798	G		21,0	F

G148		<i>Natica filosa</i>	Philippi, 1845	F/F+	9,0	13,0	M
G96	2	<i>Natica isabelleana</i>	d'Orbigny, 1840	F++	17,0	18,0	A
G166	1	<i>Natica onca</i>	Röding, 1798	F+		20,0	F
G66	1	<i>Natica stellata</i>	Hedley, 1913	G		35,0	F
G90	1	<i>Natica tigrina</i> W/O	Röding, 1798	F++		21,0	CH
G103	3	<i>Natica vitellus</i>	Linné, 1758	F/F+	26,0	29,0	F
G101	1	<i>Naytiopsis granum</i>	Lamarck, 1822	F++/G		9,0	M
G30	2	<i>Neptunea contraria</i>	Linné, 1771	F+	79,0	87,0	BA
G24		<i>Nerita albicilla</i>	Linné, 1758	F+/F++/G	17,0	28,0	F
G196		<i>Nerita chamaeleon</i>	Linné, 1758	F+/F++/G	12,0	21,0	F
G85	1	<i>Nerita exuvia</i>	Linné, 1758	F++		25,0	F
G208	1	<i>Nerita picea</i>	Recluz, 1841	F+		12,0	U
G163		<i>Nerita plicata</i>	Linné, 1758	F++/G	11,0	16,0	F
G201	1	<i>Nerita undata</i>	Linné, 1758	F++		34,0	F
G161		<i>Neritina coromandeliana</i>	Sowerby, 1836	F+/G	15,0	20,0	F
G284	6	<i>Neverita josephina</i>	Risso, 1826	F+/F++	25,0	28,0	BA
G210	1	<i>Nitidella ocellata</i>	Gmelin, 1791	G		11,0	C
G100	2	<i>Nodilittorina pyramidalis</i>	Quoy & Gaimard, 1833	G		18,0	AU
G198	3	<i>Nucella lapillus</i>	Linné, 1758	F++	20,0	22,0	LC
G285	6	<i>Ocenebra erinacea</i>	Linné, 1758	Beach-F/F++	23,0	35,0	M
G212	8	<i>Ocenebrina corallinoides</i>	Monterosato, 1968	F++/G	7,0	9,0	LC
G106	1	<i>Oliva amethystina carnicolor</i>	Dautzenberg, 1927	G		39,0	F
G52	3	<i>Oliva miniacea miniacea</i>	Röding, 1798	F++/G	43,0	73,0	F
G123	2	<i>Oliva oliva</i>	Linné, 1758	G		34,0	F
G88	1	<i>Oliva vidua</i>	Röding, 1798	G		33,0	F
G144	1	<i>Olivancillaria uretai</i>	Klappenbach, 1965	F+		20,0	UR
G99	1	<i>Olivella columellaris</i>	Sowerby, 1825	F++		11,0	PE
G341	4	<i>Ovula ovum</i>	Linné, 1758	F++	69,0	86,0	F
G10		<i>Patella caerulea</i>	Linné, 1758	F+/F++/G	14,0	45,0	G
G214	1	<i>Patella granularis</i>	Linné, 1758	F		32,0	SU
G56	4	<i>Patella intermedia</i>	Murray, 1857	F++/G	29,0	40,0	LC
G354		<i>Patella nigra</i>	da Costa, 1771	F+/F++	30,0	68,0	F
G33	8	<i>Patella rustica</i>	Linné, 1758	F+	22,0	34,0	G / M
G60		<i>Patella ulyssiponensis</i>	Gmelin, 1791	F+/F++/G	23,0	44,0	M / LC
G12		<i>Patelloida saccharina</i>	Linné, 1758	F+/F++/G	17,0	34,0	F
G116	2	<i>Patina pellucida</i>	Linné, 1758	F++/G	9,0	12,0	P
G262	2	<i>Phalium bandatum</i>	Perry, 1811	F++		91,0	F
G272	1	<i>Phalium glaucum</i>	Linné, 1758	F		72,0	F
G51	1	<i>Phalium saburon</i>	Bruguere, 1792	F+		51,0	PT
G153	2	<i>Philippia fallaciosa</i>	Tiberi, 1872	F+/F++	10,0	14,0	M
G224	2	<i>Phos senticosus</i>	Linné, 1758	F++/G	34,0	38,0	F
G203	1	<i>Planaxis nucleus</i>	Bruguere, 1789	G		11,0	CB
G191		<i>Planaxis sulcatus</i>	Born, 1780	F+/F++	11,0	18,0	F
G346	2	<i>Pleuroploca trapezium</i> W/P	Linné, 1758	F+	107,0	119,0	F
G22	1	<i>Pleurotomaria hirasei</i>	Pilsbry, 1903	F		64,0	F
G133	1	<i>Polinices didyma</i>	Röding, 1798	F		19,0	F
G71	4	<i>Polinices fibrosa</i>	Sonleyet, 1852	F++	25,0	31,0	F
G54		<i>Polinices mammatus</i>	Röding, 1798	F++	22,0	27,0	CH
G65	1	<i>Polinices mammilla</i>	Linné, 1758	F+		38,0	F
G271	2	<i>Pseudovertagus aluco</i>	Linné, 1758	F++	65,0	71,0	F
G271	2	<i>Pupa solidula</i>	Linné, 1758	F+	30,0	31,0	TI
MICRO		<i>Pusillina radiata</i>	Philippi, 1836	F+/F++	3,0	4,0	M
G91	5	<i>Pyrene epamella</i>	Duclos, 1846	F++	19,0	20,0	F
G223	5	<i>Pyrene ocellata</i>	Link, 1807	F++/G	15,0	17,0	F
G158	3	<i>Pyrene punctata</i>	Bruguere, 1789	F++/G	18,0	20,0	F
G178		<i>Pyrene versicolor</i>	Sowerby, 1832	F++/G	10,0	16,0	F
G350	1	<i>Rapana rapiformis</i>	Born, 1778	F+		91,0	F
G176	5	<i>Rhinoclavis vertagus</i>	Linné, 1767	F+/F++/G	39,0	53,0	F
G232		<i>Ringicula auriculata</i>	Nou Graye, 1811	G	3,0	4,0	M

MICRO	3	<i>Rissoa labiosa</i>	Montagu, 1808	F+/F++	5,0	7,0	CN
MICRO		<i>Rissoa marginata</i>	Michaud, 1832	F+/F++	1,5	2,0	M
MICRO		<i>Rissoa parva</i>	da Costa, 1779	F++/G		2,0	M
MICRO	1	<i>Rissoa violacea</i>	Desmarest, 1814	G		4,0	LC
G266	6	<i>Semicassis bisulcatum bisulcatum</i>	Schubert-Wagner, 1829	F+/F++	43,0	54,0	F
G204	1	<i>Sinum zonale</i>	Quoy & Gaimard, 1833	F+		23,0	AU
G13		<i>Siphonalia spadicea fuscolineata</i>	Pease, 1860	F/F+	39,0	50,0	JP
G119	3	<i>Siphonaria alternata</i>	Say, 1826	F++/G	7,0	12,0	U
G9		<i>Siphonaria pectinata</i>	Linné, 1758	F+/F++/G	14,0	32,0	M / G
MICRO		<i>Skeneopsis planorbis</i>	Fabricius, 1780	F+/F++/G		1,0	LC
G157		<i>Smaragdia viridis</i>	Linné, 1758	F++/G	5,0	9,0	M
G124	3	<i>Stomatia phymotis</i>	Helbling, 1779	F++/G	10,0	19,0	F
G14	3	<i>Strombus aratrum</i>	Röding, 1798	F+/F++	72,0	79,0	F
G20	9	<i>Strombus aurisdianae</i>	Linné, 1758	F+/F++/G	45,0	61,0	F
G78	1	<i>Strombus bulla</i>	Röding, 1798	F++		67,0	F
G269	7	<i>Strombus canarium canarium</i>	Linné, 1758	F/F+/F++	46,0	58,0	F
G15	1	<i>Strombus canarium isabella</i>	Lamarck, 1822	F+		50,0	F
G156	4	<i>Strombus gibberulus gibbosus</i>	Röding, 1798	F+/F++	34,0	50,0	F
G31		<i>Strombus labiatus</i>	Röding, 1798	F++/G	27,0	45,0	F
G5	5	<i>Strombus lentiginosus</i>	Linné, 1758	F/F+/F++	62,0	73,0	F
G266		<i>Strombus luhuanus</i>	Linné, 1758	F/F+/F++	42,0	67,0	F
G159	4	<i>Strombus mutabilis</i>	Swainson, 1821	F++/G	23,0	34,0	F
G272	1	<i>Strombus pipus</i>	Röding, 1798	F++		52,0	F
G267	1	<i>Strombus pugilis pugilis</i>	Linné, 1758	F		85,0	F
G343	2	<i>Strombus sinuatus</i>	Humphrey, 1786	F++		84,0	F
G7		<i>Strombus urceus</i>	Linné, 1758	F++/G	25,0	68,0	F
G33	6	<i>Strombus urceus along with balanus</i>	Linné, 1758	F++	50,0	57,0	F
G47	3	<i>Strombus variabilis</i>	Swainson, 1820	F++/G	44,0	49,0	F
G47	4	<i>Strombus vittatus entropi</i>	lan in 't Veld & Visser, 199	F++	46,0	73,0	F
G147	1	<i>Tectarius coronatus</i>	Valenciennes, 1832	F++		26,0	F
G67	2	<i>Tectus fenestratus</i>	Gmelin, 1791	F++	28,0	34,0	F
G81	1	<i>Tegula tridentata W/O</i>	Potiez & Michaud, 1838	F++		14,0	CL
G267	1	<i>Telescopium telescopium along with balanus</i>	Linné, 1758	F+		58,0	F
G204	2	<i>Terebellum terebellum</i>	Linné, 1758	F++	38,0	44,0	F
G57	4	<i>Terebra areolata</i>	Lamarck, 1807	F/F+/F++	62,0	113,0	F
G113	1	<i>Terebra dimidiata</i>	Linné, 1758	F++		65,0	F
G14	3	<i>Terebra maculata</i>	Linné, 1758	F++	84,0	129,0	F
G195	1	<i>Terebra subulata</i>	Linné, 1758	F+		85,0	F
G28		<i>Thais clavigera</i>	Kuster, 1860	F/F+/F++	14,0	24,0	F
G181	2	<i>Thais tuberosa</i>	Röding, 1798	F+	22,0	25,0	ID
G356a	1	<i>Tibia fusus</i>	Linné, 1758	F		203,0	F
G356c	1	<i>Tibis fusus (long apex)</i>	Linné, 1758	F++		203,0	F
G259	2	<i>Tonna allium</i>	Dillwyn, 1817	F/F++	61,0	82,0	F
G11	1	<i>Tonna perdix</i>	Linné, 1758	F++		78,0	F
G344	1	<i>Tonna sulcosa</i>	Born, 1778	F+		111,0	F
G230		<i>Tricolia pullus</i>	Linné, 1758	F++/G	4,0	7,0	M
G164		<i>Trivia arctica</i>	Solander in Humphrey, 179	F++/G	7,0	12,0	LC
G165		<i>Trivia monacha</i>	da Costa, 1778	F++/G	6,0	11,0	LC / M
G140	2	<i>Trochus ferreirai</i>	Bozzetti, 1996	F++	21,0	23,0	F
G51	1	<i>Trochus maculatus</i>	Linné, 1758	F++		42,0	F
G112	2	<i>Turbo argyrostomus</i>	Linné, 1758	F+	25,0	31,0	F
G17		<i>Turbo chrysostomus</i>	Linné, 1758	Beach-F	33,0	55,0	F
G220		<i>Turbo cinereus</i>	Born, 1778	F++	15,0	23,0	F
G79	1	<i>Turbo petholatus</i>	Linné, 1758	F++		53,0	F
G29		<i>Turbo pulcher</i>	Menke, 1843	F/F+	23,0	42,0	AU
G82	1	<i>Turritella turbona</i>	Monterosato, 1877	Beach-F+		40,0	LC
G345	1	<i>Tutufa bubo</i>	Smith, 1914	F++		113,0	F
G207		<i>Umbonium vestiarum</i>	Linné, 1758	F++/G	10,0	13,0	JP
G187	1	<i>Vermetus triqueter</i>	Bivona, 1832	F		37,0	C

G166	3	Vexillum plicarium	Linné,1758	F+	38,0	41,0	F
G186	3	Vexillum rugosum	Gmelin,1791	F+/F++	27,0	41,0	F
G152	2	Vittina solium	Recluz,1846	F+		16,0	PA
G74	2	Volema myristica	Röding,1798	F	39,0	49,0	F

Véase identificadores de localidades en la sección "Leyenda por países"

See place identifiers in the "Countries Caption" section