

REF.	No.	SPECIES	AUTHOR	ØMIN.(mm)	ØMAX.(mm)	PLACE	VALUE (€)
MICRO	2	<i>Alvania carinata</i>	da Costa,1778	1,5	4,0	LC/M	2
MICRO	9	<i>Alvania cimex</i>	Linné,1758		4,0	M	1
MICRO		<i>Alvania scabra*</i>	Philippi,1844	1,0	2,0	M	2
	G273	<i>Aporrhais pespelecani*</i>	Linné,1758	26,0	40,0	M	1,5
	G174	<i>Architectonica perspectiva</i>	Linné,1758	24,0	33,0	F	1,5
	G278	<i>Babylonia spirata*</i>	Linné,1758	25,0	37,0	F	1,5
MICRO		<i>Barleeia unifasciata</i>	Montagu,1803	1,0	2,0	M	0,5
	G25	<i>Batillaria zonalis</i>	Bruguiere,1792	24,0	32,0	JP	1,5
	G229	<i>Bittium reticulatum*</i>	da Costa,1774	8,0	12,0	LC	1
	G48	<i>Bufo rana*</i>	Linné,1758	40,0	60,0	F	1,5
	G183	<i>Calpurnus verrucosus</i>	Linné,1758	26,0	31,0	F	1
	G108	<i>Cerithium vulgatum form 1</i>	Bruguiere, 1792		57,0	MU	3
	G265	<i>Cerithium vulgatum form 2*</i>	Bruguiere,1792	20,0	56,0	MU/C	1
	G108	<i>Chaetopleura angulata</i>	Spengler,1797		21,0	PT	2
	G108	<i>Chaetopleura angulata</i>	Spengler,1797		39,0	UR	4
	G222	<i>Chiton olivaceus*</i>	Spengler,1797	8,0	19,0	M/G	1
MICRO		<i>Cingula cingillus</i>	Montagu,1803	3,0	6,0	LC	0,5
	G188	<i>Clypeomorus moniliferus*</i>	Kiener,1841	11,0	23,0	F	1
	G53	<i>Columbella rustica</i>	Linné,1758	15,0	21,0	G / M	1
	G26	<i>Columbella rustica striata</i>	Duclos,1840	16,0	19,0	C	2
	G87	<i>Conus arenatus arenatus*</i>	Hwass in Bruguiere,1792	28,0	39,0	F	3
	G110	<i>Conus coronatus</i>	Gmelin,1791	23,0	27,0	F	3
	G63	<i>Conus generalis</i>	Linné,1767		60,0	F	5
	G22	<i>Conus leopardus</i>	Holten,1802		78,0	F	5,5
	G282	<i>Conus magus*</i>	Linné,1758	40,0	59,0	F	2,5
	G15	<i>Conus mustelinus</i>	Hwass in Bruguiere,1792		70,0	F	4,5
	G288	<i>Conus tessulatus</i>	Born,1780	35,0	39,0	F	3
	G216	<i>Coralliophila neritoidea*</i>	Lamarck,1816	17,0	24,0	F	2,5
	G228	<i>Cyclope pellucida</i>	Risso,1826	5,0	8,0	M/MU	1
	G225	<i>Cymatium muricinum</i>	Röding,1798	33,0	34,0	CU	2,5
	G83	<i>Cymatium rubeculum</i>	Linné,1758		41,0	F	1,5
	G280	<i>Cypraea annulus</i>	Linné,1758	9,0	21,0	F	1
	G270	<i>Cypraea arabica</i>	Linné,1758	50,0	58,0	F	3
	G215	<i>Cypraea asellus</i>	Linné,1758		17,0	F	1,5
	G177	<i>Cypraea bistrinotata</i>	Schilder & Schilder,1937		19,0	F	3
	G52	<i>Cypraea boivinii</i>	Kiener,1843	22,0	27,0	F	1
	G146	<i>Cypraea caputserpentis</i>	Linné,1758	24,0	32,0	F	1,5
	G150	<i>Cypraea carneola</i>	Linné,1758	31,0	43,0	F	2,5
	G70	<i>Cypraea caurica caurica</i>	Linné,1758	45,0	48,0	F	1,5
	G120	<i>Cypraea chinensis chinensis</i>	Gmelin,1791		35,0	F	2,5
	G49	<i>Cypraea eglantina</i>	Duclos,1833	51,0	65,0	F	3,5
	G127	<i>Cypraea isabella</i>	Linné,1758		27,0	F	1
	G200	<i>Cypraea labrolineata</i>	Gaskoin,1848	17,0	21,0	F	1,5
	G25	<i>Cypraea lynx</i>	Linné,1758	36,0	42,0	F	1,5
	G64	<i>Cypraea mappa*</i>	Linné,1758	57,0	62,0	F	7
	G182	<i>Cypraea miliaris</i>	Gmelin,1791	30,0	38,0	F	2
	G155	<i>Cypraea moneta</i>	Linné,1758	15,0	29,0	F	1
	G27	<i>Cypraea onyx</i>	Linné,1758		42,0	F	2
	G81	<i>Cypraea pyriformis</i>	Gray,1824		29,0	F	1
	G206	<i>Cypraea staphylaea</i>	Linné,1758	12,0	19,0	F	2,5
	G72	<i>Cypraea talpa</i>	Linné,1758	56,0	61,0	F	7
	G97	<i>Cypraea teres teres</i>	Gmelin,1791		24,0	F	2
	G4	<i>Cypraea tigris*</i>	Linné,1758	65,0	91,0	F	4,5
	G348	<i>Cypraea vitellus</i>	Linné,1758	39,0	56,0	F	2
	G127	<i>Dentalium vulgare</i>	da Costa,1778	18,0	40,0	M	2
	G130	<i>Drupa grossularia</i>	Röding,1798		23,0	F	1,5
	G92	<i>Euchelus atratus*</i>	Gmelin,1791	11,0	18,0	F	1,5
	G58	<i>Euspira catena*</i>	da Costa,1778	22,0	32,0	LC	2

G264	1	<i>Fusinus salisburyi</i>	Fulton, 1930		155,0	F	10
G189		<i>Gibberula miliaria</i>	Linné, 1758	4,0	6,0	M	0,5
G109	1	<i>Gibbula divaricata</i>	Linné, 1758		11,0	M	1
G276		<i>Gibbula pennanti</i> W/O *	Philippi, 1846	9,0	15,0	LC/P	1
G190		<i>Gibbula rarilineata</i> W/O	Michaud, 1829	8,0	15,0	G	1,5
G275		<i>Gibbula richardi</i> usual eroded W/O *	Payraudeau, 1826	5,0	20,0	G	1,5
G277		<i>Gibbula spurca</i>	Gould, 1856	8,0	14,0	C	2
G86		<i>Gibbula varia</i> *	Linné, 1767	7,0	13,0	G	1
G18	1	<i>Guildfordia yoka yoka</i>	Jousseume, 1899		82,0	F	6
G185	1	<i>Gyrineum gyrinum</i>	Linné, 1758		29,0	F	2
G117	1	<i>Gyrineum perca</i>	Schepman, 1909		36,0	F	3,5
MICRO	1	<i>Haminoea hydatis</i>	Linné, 1758		5,0	CA	2
G2	2	<i>Harpa articularis</i>	Lamarck, 1822	88,0	94,0	F	4
G115	3	<i>Hastula rufopunctata</i>	Smith, 1877		19,0	AU	2,5
G95	5	<i>Heliacus variegatus</i>	Gmelin, 1791	13,0	16,0	F	1,5
G347	2	<i>Hemifusus ternatanus</i> *	Gmelin, 1791	130,0	171,0	F	8,5
G179		<i>Hinia incassata</i>	Müller, 1776	8,0	12,0	M/LC	0,5
G89	3	<i>Imbricaria olivaeformis</i>	Swainson, 1821	11,0	12,0	F	2
G193		<i>Jujubinus striatus striatus</i>	Linné, 1767	6,0	10,0	M	0,5
G357	7	<i>Lambis lambis</i>	Linné, 1758	132,0	153,0	F	5
G261	1	<i>Lambis scorpius scorpius</i>	Linné, 1758		123,0	F	8
G47	3	<i>Latirus polygonus</i> *	Gmelin, 1791	47,0	85,0	F	8
G117	7	<i>Liotina peronii</i>	Kiener, 1839	11,0	13,0	F	2
G50		<i>Littorina littorea</i> W/O *	Linné, 1758	21,0	32,0	M/H	1
G139		<i>Littorina neritoides</i> W/O	Linné, 1758	4,0	7,0	M / LC	0,5
G192		<i>Littorina obtusata</i> *	Linné, 1758	9,0	12,0	P	1
G281	2	<i>Littorina peruviana</i>	Lamarck, 1822	10,0	11,0	PE	2
G194		<i>Littorina punctata</i> W/O	Gmelin, 1791	8,0	9,0	G	1
G141	8	<i>Littorina saxatilis</i> W/O *	Olivi, 1792	11,0	14,0	LC	1
G234		<i>Littorina striata</i> W/O	King & Broderip, 1832	9,0	13,0	C	1
MICRO	6	<i>Manzonina crassa</i>	Kanmacher, 1798	2,0	2,5	LC	1
G348	1	<i>Melo broderipi</i>	Griffith & Pidgeon, 1834		145,0	F	18
G69	2	<i>Mitra eremitarum</i>	Röding, 1798	43,0	57,0	F	1,5
G225	1	<i>Mitra fraga</i>	Quoy & Gaimard, 1833		18,0	F	2,5
G195	1	<i>Mitra mitra</i>	Linné, 1758		80,0	D	4
G118	1	<i>Mitrella scripta</i>	Linné, 1758		15,0	It	2,5
G98	1	<i>Modulus modulus</i>	Linné, 1758		10,0	RD	1
G170	6	<i>Monilea callifera</i>	Lamarck, 1822	12,0	17,0	F	1
G19		<i>Monodonta atrata</i> W/O	Wood, 1828	9,0	20,0	C	1,5
G21		<i>Monodonta edulis</i> W/O	Lowe, 1842	11,0	20,0	C	1
G80	8	<i>Monodonta labio</i>	Linné, 1758	28,0	34,0	F	1
G23		<i>Monodonta lineata</i> *	da Costa, 1778	10,0	27,0	P	1
G59		<i>Monodonta turbinata</i> W/O	Born, 1780	13,0	24,0	G/GE	1
G260		<i>Murex brandaris</i> W/O*	Linné, 1758	47,0	77,0	M/LC	1
G355	1	<i>Murex haustellum</i>	Linné, 1758		124,0	F	3
G3	1	<i>Murex nigrispinosus</i>	Reeve, 1845		123,0	F	6
G1	1	<i>Murex troscheli</i>	Lischke, 1868		140,0	F	10
G202	5	<i>Nassarius albescens</i>	Dunker, 1846	12,0	15,0	F	2
G138	4	<i>Nassarius capensis</i>	Dunker, 1846	9,0	11,0	SU	1,5
G169	5	<i>Nassarius coronatus</i>	Bruguiere, 1798	18,0	25,0	F	1
G104		<i>Nassarius costulatum</i>	Payraudeau, 1826	9,0	16,0	C	1
G211		<i>Nassarius dorri</i>	Wattlebed, 1886	9,0	13,0	F	4
G173	1	<i>Nassarius globosus globosus</i>	Quoy & Gaymard, 1833		10,0	F	1,5
G160	5	<i>Nassarius gruneri</i>	Dunker, 1846	12,0	17,0	F	1
G111	3	<i>Nassarius mutabilis</i>	Linné, 1758	14,0	14,0	AL	1
G145		<i>Nassarius pfeifferi</i> *	Philippi, 1844	9,0	16,0	P/C	1,5
G62	3	<i>Nassarius reticulatus</i>	Linné, 1758		20,0	M/CN	1
G201	1	<i>Nassarius semisulcatus</i>	Rousseau, 1854		16,0	F	2
G221		<i>Nassarius stolatus</i>	Gmelin, 1791	13,0	17,0	I	1

G16		<i>Nassarius variciferus</i>	Adams,1851	17,0	27,0	CH	2
G180	1	<i>Natica fasciata</i>	Röding,1798		21,0	F	2
G96	2	<i>Natica isabelleana</i>	d´Orbigny,1840	17,0	18,0	A	4
G66	1	<i>Natica stellata</i>	Hedley,1913		35,0	F	2
G90	1	<i>Natica tigrina</i> W/O	Röding,1798		21,0	CH	2,5
G101	1	<i>Naytiopsis granum</i>	Lamarck,1822		9,0	M	1,5
G24		<i>Nerita albicilla</i> *	Linné,1758	17,0	28,0	F	1
G196		<i>Nerita chamaeleon</i> *	Linné,1758	12,0	21,0	F	1,5
G85	1	<i>Nerita exuvia</i>	Linné,1758		25,0	F	1
G163		<i>Nerita plicata</i>	Linné,1758	11,0	16,0	F	1
G201	1	<i>Nerita undata</i>	Linné,1758		34,0	F	3
G161		<i>Neritina coromandeliana</i> *	Sowerby,1836	15,0	20,0	F	1,5
G284	6	<i>Neverita josephina</i> *	Risso,1826	25,0	28,0	BA	1,5
G210	1	<i>Nitidella ocellata</i>	Gmelin,1791		11,0	C	1
G100	2	<i>Nodilittorina pyramidalis</i>	Quoy & Gaimard,1833		18,0	AU	2
G198	3	<i>Nucella lapillus</i>	Linné,1758	20,0	22,0	LC	1
G212	8	<i>Ocinebrina corallinoides</i>	Monterosato,1968	7,0	9,0	LC	3
G106	1	<i>Oliva amethystina carnicolor</i>	Dautzenberg,1927		39,0	F	3
G52	3	<i>Oliva miniacea miniacea</i>	Röding,1798	43,0	73,0	F	2
G123	2	<i>Oliva oliva</i>	Linné,1758	33,0	34,0	F	1
G88	1	<i>Oliva vidua</i>	Röding,1798		33,0	F	2
G99	1	<i>Olivella columellaris</i>	Sowerby,1825		11,0	PE	2,5
G341	4	<i>Ovula ovum</i>	Linné,1758	69,0	86,0	F	5,5
G10		<i>Patella caerulea</i> *	Linné,1758	14,0	45,0	G	1
G56	4	<i>Patella intermedia</i>	Murray,1857	29,0	40,0	LC	1,5
G354		<i>Patella nigra</i> *	da Costa,1771	30,0	68,0	F	5
G60		<i>Patella ulyssiponensis</i> *	Gmelin,1791	23,0	44,0	M / LC	2,5
G12		<i>Patelloida saccharina</i> *	Linné,1758	17,0	34,0	F	0,5
G116	2	<i>Patina pellucida</i>	Linné,1758	9,0	12,0	P	1,5
G262	2	<i>Phalium bandatum</i>	Perry,1811		91,0	F	3,5
G153	2	<i>Philippia fallaciosa</i> *	Tiberi,1872	10,0	14,0	M	7
G224	2	<i>Phos senticosus</i>	Linné,1758	34,0	38,0	F	2
G203	1	<i>Planaxis nucleus</i>	Bruguere,1789		11,0	CB	1
G191		<i>Planaxis sulcatus</i> *	Born,1780	11,0	18,0	F	1
G71	4	<i>Polinices fibrosa</i>	Sonleyet,1852	25,0	31,0	F	3
G54		<i>Polinices mammatus</i>	Röding,1798	22,0	27,0	CH	3
G271	2	<i>Pseudovertagus aluco</i>	Linné,1758	65,0	71,0	F	2,5
MICRO		<i>Pusillina radiata</i> *	Philippi,1836	3,0	4,0	M	0,5
G91	5	<i>Pyrene epamella</i>	Duclos,1846	19,0	20,0	F	2
G223	5	<i>Pyrene ocellata</i>	Link,1807	15,0	17,0	F	1,5
G158	3	<i>Pyrene punctata</i>	Bruguere,1789	18,0	20,0	F	2
G178		<i>Pyrene versicolor</i>	Sowerby,1832	10,0	16,0	F	1
G176	5	<i>Rhinoclavis vertagus</i> *	Linné,1767	39,0	53,0	F	2
G232		<i>Ringicula auriculata</i>	Nou Graye,1811	3,0	4,0	M	0,5
MICRO	3	<i>Rissoa labiosa</i> *	Montagu,1808	5,0	7,0	CN	2
MICRO		<i>Rissoa marginata</i> *	Michaud,1832	1,5	2,0	M	1
MICRO		<i>Rissoa parva</i>	da Costa,1779		2,0	M	0,5
MICRO	1	<i>Rissoa violacea</i>	Desmarest,1814		4,0	LC	2
G266	6	<i>Semicassis bisulcatum bisulcatum</i>	Schubert-Wagner,1829	43,0	54,0	F	2,5
G119	3	<i>Siphonaria alternata</i>	Say,1826	7,0	12,0	U	2,5
G9		<i>Siphonaria pectinata</i> *	Linné,1758	14,0	32,0	M / G	1
MICRO		<i>Skeneopsis planorbis</i>	Fabricius,1780		1,0	LC	0,5
G157		<i>Smaragdia viridis</i>	Linné,1758	5,0	9,0	M	1
G124	3	<i>Stomatia phymotis</i>	Helbling,1779	10,0	19,0	F	2
G14	3	<i>Strombus aratrum</i> *	Röding,1798	72,0	79,0	F	7
G20	9	<i>Strombus aurisdianae</i> *	Linné,1758	45,0	61,0	F	2,5
G78	1	<i>Strombus bulla</i>	Röding,1798		67,0	F	3
G269	4	<i>Strombus canarium canarium</i> *	Linné,1758	46,0	58,0	F	2,5
G156	4	<i>Strombus gibberulus gibbosus</i> *	Röding,1798	34,0	50,0	F	3,5

G31		<i>Strombus labiatus</i>	Röding, 1798	27,0	45,0	F	1
G5	5	<i>Strombus lentiginosus*</i>	Linné, 1758	62,0	73,0	F	2,5
G266		<i>Strombus luhuanus*</i>	Linné, 1758	42,0	67,0	F	1
G159	4	<i>Strombus mutabilis</i>	Swainson, 1821	23,0	34,0	F	1,5
G272	1	<i>Strombus pipus</i>	Röding, 1798		52,0	F	2,5
G343	2	<i>Strombus sinuatus</i>	Humphrey, 1786		84,0	F	5
G7		<i>Strombus urceus</i>	Linné, 1758	25,0	68,0	F	1
G33	6	<i>Strombus urceus</i> along with <i>balanus</i>	Linné, 1758	50,0	57,0	F	1,5
G47	3	<i>Strombus variabilis</i>	Swainson, 1820	44,0	49,0	F	1
G47	4	<i>Strombus vittatus entropi</i>	Man in 't Veld & Visser, 1993	46,0	73,0	F	4,5
G147	1	<i>Tectarius coronatus</i>	Valenciennes, 1832		26,0	F	2
G67	2	<i>Tectus fenestratus</i>	Gmelin, 1791	28,0	34,0	F	1,5
G81	1	<i>Tegula tridentata</i> W/O	Potiez & Michaud, 1838		14,0	CL	2,5
G267	1	<i>Telescopium telescopium</i> along with <i>balanus</i>	Linné, 1758		58,0	F	2
G204	2	<i>Terebellum terebellum</i>	Linné, 1758	38,0	44,0	F	2
G57	3	<i>Terebra areolata*</i>	Lamarck, 1807	62,0	113,0	F	2,5
G113	1	<i>Terebra dimidiata</i>	Linné, 1758		65,0	F	3
G14	3	<i>Terebra maculata</i>	Linné, 1758	84,0	124,0	F	10
G28		<i>Thais clavigera*</i>	Kuster, 1860	14,0	24,0	F	1,5
G356	1	<i>Tibis fusus</i> (long apex)	Linné, 1758		203,0	F	7,5
G259	1	<i>Tonna allium</i>	Dillwyn, 1817		61,0	F	5
G11	1	<i>Tonna perdix</i>	Linné, 1758		78,0	F	5
G230		<i>Tricolia pullus</i>	Linné, 1758	4,0	7,0	M	1
G164		<i>Trivia arctica</i>	Solander in Humphrey, 1797	7,0	12,0	LC	1
G165		<i>Trivia monacha</i>	da Costa, 1778	6,0	11,0	LC / M	1
G140	2	<i>Trochus ferreirai</i>	Bozzetti, 1996	21,0	23,0	F	2
G51	1	<i>Trochus maculatus</i>	Linné, 1758		42,0	F	2,5
G220		<i>Turbo cinereus</i>	Born, 1778	15,0	23,0	F	1
G79	1	<i>Turbo petholatus</i>	Linné, 1758		53,0	F	3
G345	1	<i>Tutufa bubo</i>	Smith, 1914		113,0	F	8
G207		<i>Umboonium vestiarum</i>	Linné, 1758	10,0	13,0	JP	1,5
G186	4	<i>Vexillum rugosum*</i>	Gmelin, 1791	27,0	41,0	F	2

Véase identificadores de localidades en la sección "Leyenda por países"

See place identifiers in the "Countries Caption" section